



ALLIED ISPAT PVT. LTD.

ISO 9001:2015 Co.



CERTIFICATE

OF REGISTRATION

ALLIED ISPAT PVT. LTD.

69, CHHOTA SONAPUR, M. S. ALI ROAD, MUMBAI, MUMBAI CITY,
MAHARASHTRA - 400008 (INDIA)

has been assessed and certified by Pacatus Certification Pvt. Ltd. as meeting the requirements of:

ISO 9001:2015 Quality Management System For the following scope

TRADING OF GP (GALVANIZED PLAIN) COIL/SHEETS, H.R (HOT ROLLED) COIL/SHEET, C.R (COLD ROLLED) COIL/SHEETS C.C (COLOR COATED) COIL/SHEETS, P.P.G.I (HIGH-GRADED GALVANIZED IRON) COIL/SHEETS, GA (GALVANIZED) COIL / SLIT COIL / SHEETS MANUFACTURER OF ROLLING SHUTTER PARTS, POP (PLASTER OF PARIS) CEILING & PARTITION SECTIONS ROLL FORMING MACHINES, PPGI PROFILE ROOFING SHEETS

Certification No. 2EAE8A65
Date of Initial Certification: 2023-06-28
Surveillance audit on or before Due: 2025-06-27
Date of this Certificate: 2024-06-27
Certificate Expiry: 2026-06-27

To verify this certificate please visit at www.pacacert.com
Validity of the certificate is subject to successful completion of surveillance audit on or before due date



Director Signature



Taloja Manufacturers' Association
(Established in 1985)

TMA/SDR/24-25/67

To
M/s. Allied Ispat.
Plot No. W-36,
Taloja, MIDC.

Date : 28.10.2024

Sub : Life Membership of Taloja Manufacturer's Association (TMA).

This is to certify that M/s Allied Ispat, Plot No. W-36, Taloja, MIDC has been a Life Member of Taloja Manufacturers' Association (TMA) since August 25, 2011.

We sincerely appreciate your support and valuable contribution for the growth and development of TMA.

Regards,

For Taloja Manufacturers' Association


Sheetal Raiguru
Executive Officer



(Registered Under Bombay Public Trust Act, Regn. No. F 559)
P-21, M.I.D.C. Taloja, Tal. Panvel, Dist. Raigad, Maharashtra - 410208.
Phone : 7710014120 / 9167687533, Mobile: WhatsApp No. 7710077896
E-mail: tma.taloja@gmail.com, Web: www.tmalojaj.com

1/4/23, 12:03 PM

Print : Udyam Registration Certificate

| UDYAM REGISTRATION CERTIFICATE | | | | |
|--|--|--------------------------|---|--|
| UDYAM REGISTRATION NUMBER | | UDYAM-MH-19-0185250 | | |
| NAME OF ENTERPRISE | | M/S ALLIED ISPAT PVT LTD | | |
| TYPE OF ENTERPRISE * | | SNo. | Data Year | Classification Year |
| | | 1 | 2020-21 | 2022-23 |
| | | | | Enterprise Type |
| | | | | Small |
| | | | | Classification Date |
| | | | | 04/01/2023 |
| MAJOR ACTIVITY | | MANUFACTURING | | |
| SOCIAL CATEGORY OF ENTREPRENEUR | | GENERAL | | |
| NAME OF UNIT(S) | | S.No. | Udyog Aadhaar Memorandum | Unit(s) Name |
| | | 1 | MH27A0003825 | ALLIED ISPAT PVT LTD. |
| OFFICIAL ADDRESS OF ENTERPRISE | | Flat/Door/Block No. | Shop No 69 | Name of Premises/ Building |
| | | Village/Town | M | Block |
| | | Road/Street/Lane | Ali Road | City |
| | | State | MAHARASHTRA | District |
| | | Mobile | 9821177009 | Email: malikbom@gmail.com |
| DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE | | 21/10/1997 | | |
| DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS | | 21/10/1997 | | |
| NATIONAL INDUSTRY CLASSIFICATION CODE(S) | | SNo. | NIC 2 Digit | NIC 4 Digit |
| | | 1 | 25 - Manufacture of fabricated metal products, except machinery and equipment | 2591 - Forging, pressing, stamping and roll-forming of metal; powder metallurgy |
| | | | | NIC 5 Digit |
| | | | | 25910 - Forging, pressing, stamping and roll-forming of metal; powder metallurgy |
| | | | | Manufacturing |
| DATE OF UDYAM REGISTRATION | | 04/01/2023 | | |
| * In case of graduation (upward/reverse) of status of an enterprise, the benefit of the Government Schemes will be availed as per the provisions of Notification No. S.O. 2119(E) dated 26.06.2020 issued by the M/o MSME. | | | | |
| Disclaimer: This is computer generated statement, no signature required. Printed from http://udyamregistration.gov.in & Date of printing: 04/01/2023 | | | | |
| For any assistance, you may contact: | | | | |
| 1. District Industries Centre: MUMBAI CITY (MAHARASHTRA) | | | | |
| 2. MSME-DFO: MUMBAI (MAHARASHTRA) | | | | |
| <p>Visit : www.msme.gov.in ; www.dcmsme.gov.in ; www.champions.go</p> <p> Follow us @minmsme &  @msmechampions</p> | | | | |
| <p> BE A CHAMPION with the Ministry of MSME</p> | | | | |



ABOUT US

With a **legacy spanning over five decades**, **Allied Ispat Pvt. Ltd.** has grown into a trusted and reputable name in the iron and steel industry. Established with a vision of excellence, we have continuously evolved to meet the ever-changing demands of the construction sector. Our expertise lies in manufacturing **high-quality steel Dry Wall Partitions, Ceiling sections, and Rolling Shutter Components**, catering to diverse industries across India and international markets.

As an **ISO 9001:2015 certified company**, we uphold the **highest quality standards**, ensuring that every product meets stringent industry benchmarks. Our **state-of-the-art manufacturing facilities**, advanced technology, and rigorous quality control allow us to deliver durable and precision-engineered solutions. With a **strong commitment to innovation, reliability, and customer satisfaction**, our reach has significantly expanded, and we now provide **comprehensive solutions across the globe**.

Driven by **technical expertise, industry knowledge, and a customer-first approach**, Allied Ispat continues to set new benchmarks in **quality, efficiency, and trust**, making us the preferred choice for builders, architects, and contractors worldwide.



Our Mission

At **Allied Ispat Pvt. Ltd.**, our mission is to deliver **world-class building material solutions** backed by over **five decades of industry expertise**. We are committed to manufacturing **excellence, continuous innovation, and customer satisfaction**, ensuring our products meet **global quality standards such as ISO 9001:2015, BS EN, and ASTM**. With a relentless focus on precision, durability, and sustainability, we aim to provide **cutting-edge solutions for modern construction** needs across the globe.

Our Vision

To be a global leader in the iron and steel industry, expanding our reach beyond borders and establishing Allied Ispat Pvt. Ltd. as the preferred partner for false ceiling and drywall partition solutions. By embracing technological advancements, superior craftsmanship, and sustainable practices, we strive to set new benchmarks in efficiency, innovation, and reliability while meeting the ever-evolving demands of the construction sector.

Our Core Values

- Legacy & Trust** – Over 50 years of expertise built on reliability, innovation, and customer-centric values.
- Quality & Compliance** – Upholding the highest international standards with ISO 9001:2015 and globally recognized certifications.
- Innovation & Growth** – Staying ahead with advanced manufacturing processes and state-of-the-art technology.
- Customer Commitment** – Delivering tailored solutions to meet the dynamic needs of the construction industry.
- Sustainability & Responsibility** – Focusing on eco-friendly manufacturing and ethical business practices for a better tomorrow.

With a proven track record in India and a growing global footprint, Allied Ispat Pvt. Ltd. is shaping the future of the building materials industry with unmatched quality, innovation, and expertise.




CEILING SYSTEM

CEILING CHANNEL

INTERMEDIATE

L-ANGLE

PERIMETER





GYPS PLUS PREMIUM

System Components




CEILING CHANNEL

| Ref | Dimensions A B C | Standard Thickness Upto | Standard Length | Material | Bundle |
|-------|-------------------------|----------------------------|--------------------|----------|--------|
| 75 FC | 40 20 78 | 0.40 to 0.90 mm | 3660 | G.I. | 25 |





INTERMEDIATE

| Ref | Dimensions A B C | Standard Thickness Upto | Standard Length | Material | Bundle |
|-------|-------------------------|----------------------------|--------------------|----------|--------|
| 44 IC | 14 44 14 | 0.40 to 0.90 mm | 3660 | G.I. | 20 |




L-ANGLE

| Ref | Dimensions A B | Standard Thickness Upto | Standard Length | Material | Bundle |
|-------|---------------------|----------------------------|--------------------|----------|--------|
| LA 25 | 25 25 | 0.40 to 1.50 mm | 3660 | G.I. | 25 |
| LA 18 | 18 18 | 0.40 to 0.90 mm | 3660 | G.I. | 25 |



PERIMETER CHANNEL

| Ref | Dimensions A B C | Standard Thickness Upto | Standard Length | Material | Bundle |
|-------|-------------------------|----------------------------|--------------------|----------|--------|
| 21 PC | 18 28 21 | 0.40 to 0.90 mm | 3660 | G.I. | 20 |



*G.I - Galvanized Iron *PPGI- PrePainted Galvanized



DRYWALL PARTITION SYSTEM


STUD

TRACK


DEEP FLOOR



A. GYPSPLUS PREMIUM PLUS



STUD



| Ref | Dimensions | | | Standard Thickness Upto | Standard Length | Material | Bundle |
|--------|------------|----|----|-------------------------|-----------------|----------|--------|
| | A | B | C | | | | |
| SP 50 | 50 | 34 | 32 | 0.40 to 0.90 mm | 3660 | G.I. | 20 |
| SP 70 | 70 | 34 | 32 | 0.40 to 0.90 mm | 3660 | G.I. | 20 |
| SP 98 | 98 | 34 | 32 | 0.40 to 0.90 mm | 3660 | G.I. | 20 |
| SP 148 | 148 | 34 | 32 | 0.40 to 0.90 mm | 3660 | G.I. | 20 |

...Special Lengths are available upon request

FLOOR - DEEP

| Ref | Dimensions | | | Standard Thickness Upto | Standard Length | Material | Bundle |
|--------|------------|----|----|-------------------------|-----------------|----------|--------|
| | A | B | C | | | | |
| SFT 52 | 52 | 32 | 32 | 0.40 to 0.90 mm | 3660mm | G.I. | 20 |
| SFT 72 | 72 | 32 | 32 | 0.40 to 0.90 mm | 3660mm | G.I. | |

...Special Lengths are available upon request



TRACK



| Ref | Dimensions | | | Standard Thickness Upto | Standard Length | Material | Bundle |
|--------|------------|----|----|-------------------------|-----------------|----------|--------|
| | A | B | C | | | | |
| SF 52 | 52 | 25 | 25 | 0.40 to 0.90 mm | 3660mm | G.I. | 20 |
| SF 72 | 72 | 25 | 25 | 0.40 to 0.90 mm | 3660mm | G.I. | 20 |
| SF 100 | 100 | 25 | 25 | 0.40 to 0.90 mm | 3660mm | G.I. | 20 |
| SF 150 | 150 | 25 | 25 | 0.40 to 0.90 mm | 3660mm | G.I. | 20 |



...Special Lengths are available upon request

Drywall Partition System




BOARD PROTECTION CHANNEL

| Ref | Dimensions | | | Standard Thickness Upto | Standard Length | Material | Bundle |
|------|------------|----|----|-------------------------|-----------------|----------|--------|
| | A | B | C | | | | |
| BC 1 | 26 | 13 | 10 | 0.40 to 0.90 mm | 3660mm | G.I. | 20 |




CORNER BEAD CHANNEL (PERFORATED)

| Ref | Dimensions | | | Standard Thickness Upto | Standard Length | Material | Bundle |
|------|------------|-----|----|-------------------------|-----------------|----------|--------|
| | A | B | C | | | | |
| BC 2 | 30 | 2.5 | 30 | 0.30 to 0.45 mm | 3660mm | G.I. | 20 |



System Accessories



SCREWS & FASTENERS

| Ref | Dimensions |
|------|------------|
| SF 1 | 6 x 1" |
| SF 2 | 6 x 1.25" |
| SF 3 | 6 x 1.5" |
| SF 4 | 6 x 2" |
| SF 5 | 8 x 2" |

| Ref | Dimensions |
|------|------------|
| SF 6 | 8 x 2.5" |
| SF 7 | 8 x 3" |
| SF 8 | 10 x 4" |
| SF 9 | 10 x 5" |



ACCESS PANELS

| Ref | Dimensions |
|------|---------------|
| AP 1 | 200mm x 200mm |
| AP 2 | 300mm x 300mm |
| AP 3 | 400mm x 400mm |

| Ref | Dimensions |
|------|---------------|
| AP 4 | 450mm x 450mm |
| AP 5 | 500mm x 500mm |
| AP 6 | 600mm x 600mm |

Technical Specification Clauses

Raw Material

Galvanized Iron complying with

Zinc Coating Type:

Standards

IS 277:2018/ASTM 653
(EQ: BS EN 10346:2009)


BOTH SIDE 80,120,275 GSM
Pre Galvanized.

Manufacturing

Dry Wall Partition System &
Furring Ceiling System

Standards

EQ: BS EN 14195:2014/
ASTM C645



OUR REACH



ALLIED
ISPAT

Contact Us:

Registered Office

69, Chhota Sonapur, Maulana Shaukat Ali Road, Mumbai 400008 022

Works

Plot no. C-17/9. MIDC Taloja, Behind Bank of Baroda, Dls Raigad 410208

Dubai, UAE

P.O Box 29432 , Dubai, UAE

CONTACT:

+91 9821177009 / +91-8779051606